

Milestone: Care Team Assessment and Implementation

Milestone Language: Assess current core and expanded care team roles to identify gaps in functions and roles needed to manage the population of focus. Identify and implement new core and expanded care team model to address identified gaps.

Instructions

The care team is the heart of a practice and is designed to meet most patients' needs. Together, the care team is the primary healthcare partner for patients and families. They provide proactive, planned delivery of in-person and virtual primary care for a defined panel of patients based upon evidence-based clinical judgment, patient needs and preferences, and health equity considerations. Care teams act as the coordinating hub for physical, social and behavioral health needs.

You may find that your care teams are missing key roles, or your practice has known gaps. Please complete the prompts in step 1 and then use Table 1 to inventory your practice's current state of delivering the key functions of primary care and population health management for your population of focus (PoF).

This tool provides an overview of the functions that high-performing primary care practices deliver reliably and proposes a potential array and FTE of team members to do so. Different teams will adjust these roles and FTE to fit their context.

[Population of Focus Displayed Here]

Step 1. Current Care Team Structure & Functions

A. Number of sites that your EPT work encompasses:

B. Core Care Team Structure (Direct Patient Care)

- List current care team roles (e.g., Primary Care Provider, Nurse, Medical Assistant, Care Coordinator, Behavioral Health Provider, etc.) within your sites that are designing and implementing improvements related to EPT.
- If you have multiple sites participating in EPT, pick one site that is most representative for your PoF work.

- Please also include additional/expanded care team roles (e.g., Community Health Worker, Pharmacist, Health Coach, Case Manager, Patient Navigator, etc.).
- Describe each role's primary responsibilities related to your PoF.

Table 1. Care Team Roles

Role	# individua ls in this role	Combined FTE (Filled/ Total)*	Dedicated or Shared Across Sites (drop- down)	Panel- Assigned to Role (Y/N)	Primary responsibilities related to PoF (if not related to PoF or measures, mark "None")

*Note:

- Filled FTE: The number of FTE that is currently staffed (positions filled).
- Total FTE: The number of FTEs that are budgeted or needed for that role.

C. Clarifying Notes:

[As needed, provide additional detail about how roles are distributed across sites, the use of float staff, shared services, or nuances in FTE and panel assignment.]

D. Care Team Functions

Note: As you review care team functions, consider the following prompts to guide your assessment (you will not respond to each prompt but may incorporate these considerations into Table 2). Responses should reflect your current state:

- How are responsibilities distributed across roles?
- Are any roles over- or under-utilized? Could certain functions be more effectively shared?
- Where are the functional gaps (e.g. no clearly assigned role responsible for initiating and ensuring completion of screenings)? Are there tasks that could be shifted to other roles?
- What additional tools, training, or supports would enable your team to perform all functions more effectively?
- Are there other core activities that staff are doing related to your PoF that aren't yet captured in this deliverable template?

[ONLY RELEVANT POF TABLE WILL BE DISPLAYED IN THE PORTAL]

Pregnant People: Care Team Function (Table 2)

Function	Role that performs this now (title)	Identified Gap (check box)	Role that is best suited to perform this function?
Receives first notification of a			
pregnant patient			
Maintains list of pregnant			
patients, gestational age,			
estimated due date, and			
disposition of pregnancy (e.g.,			
miscarriage, termination, delivery)			
Schedules prenatal appointments			
Conducts initial pregnancy testing			
(if required)			
Conducts clinical prenatal			
assessments (e.g., vitals, fundal			
height, fetal heart tones)			

Conducts prenatal behavioral		
health screening (e.g., PHQ-2,		
PHQ-9, EPDS)		
Screens for intimate partner		
violence (IPV) and ensures		
appropriate response or referral		
(e.g., warm handoff, safety		
•		
planning, documentation		
protocols)		
Provides prenatal nutrition		
counseling		
Provides prenatal health		
education (e.g., warning signs,		
breastfeeding basics)		
Orders prenatal lab work		
Follows up on prenatal lab results		
Orders prenatal ultrasounds		
Performs prenatal ultrasounds (if		
performed on-site)		
Reviews and communicates		
ultrasound results to patient		
·		
Orders prenatal immunizations		
Administers prenatal		
immunizations		
Provides options counseling		
Coordinates blood work (on-site		
or external lab)		
Addresses positive behavioral		
health screenings (e.g.,		
evaluation, diagnosis, referrals)		
Makes prenatal visit reminder 		
calls		
Prepares for prenatal visits (e.g.,		
chart prep, forms)		

		ı
Screens for social needs and		
makes referrals (e.g., WIC, doula		
programs, Black Infant Health)		
Maintains list of referral resources		
and how to access them (e.g.,		
lactation, WIC)		
Coordinates referrals for imaging		
and specialty consults (e.g., MFM,		
genetic counseling), including		
closed-loop tracking and hospital		
coordination		
Discusses birth plan and		
coordinates related care		
Completes preregistration with		
the delivery hospital		
Schedules hospital tours (virtual		
or in-person)		
Schedules inductions and/or		
cesarean procedures		
Documents prenatal care		
activities in EHR (e.g., screenings,		
education, referrals)		
Identifies and monitors high-risk		
pregnancies (e.g., comorbidities,		
social risks)	 	
Provides interpretation services or		
coordinates language access		
Schedules postpartum visits		
Makes reminder calls for		
postpartum visits		
Conducts postpartum care		
outreach		
Maintains registry of postpartum		
patients and follow-up status		
Facilitates centering group visits		

Children and Youth: Care Team Function (Table 2)

Function	Role that performs this now (title)	Identified Gap (check box)	Role that is best suited to perform this function?
Tracks well-child visit care gaps (e.g., maintains list of patients and well-child care (WCC)/immunization due dates)			
Conducts outreach to schedule well-child visits			
Conducts follow-up for no-show or canceled well-child appointments (including rescheduling)			
Prepares for well-child visits (e.g., identifies care gaps)			
Obtains newborn birth history/discharge summary from birth hospital/facility for newborn new patients to practice			
Prompts for immunizations during non-well-child visits			
Schedules well-child visits during non-well-child visits			
Orders immunizations Administers immunizations			
Conducts outreach to schedule immunization visits			
Schedules immunization visits (including drop-in clinics)			
Reschedules immunization visits			
Addresses abnormal developmental screening results (e.g., evaluation, diagnosis, referrals)			

(August 2025 Update) Conducts behavioral health screening (e.g., depression, substance use)		
Addresses positive behavioral health screening results (e.g., evaluation, diagnosis, referrals)		
Conducts social determinants of health (SDOH) screening, including Adverse Childhood Experiences (ACEs)		
Addresses positive SDOH or ACE screening (e.g., evaluation, diagnosis, referrals)		
Documents screenings, assessments, and referrals in EHR		

Adults with Chronic Conditions (e.g., Diabetes, Hypertension): Care Team Function (Table 2)

Function	Role that performs this now (title)	Identified Gap (check box)	Role that is best suited to perform this function?
Provides health coaching and self-management education			
Provides medication adherence support			
Coordinates remote monitoring with patients (e.g., blood pressure (BP) or hemoglobin A1c (A1c) tracking at home)			
Initiates new medications for hypertension or diabetes for patients not at goal blood pressure or A1c			
Titrates hypertension or diabetes medications for patients not at goal blood pressure or A1c			

Orders or pends labs for diabetes		
or hypertension monitoring (e.g.,		
A1c, metabolic panel,		
microalbumin)		
Orders or pends retinopathy		
screening for patients with		
diabetes		
Performs diabetic foot		
monofilament testing		
Conducts outreach to patients		
overdue for lab monitoring		
Conducts outreach to patients		
overdue for diabetic eye exam or		
retinopathy screening		
Conducts outreach to		
hypertension or diabetes patients		
overdue for a follow-up visit		
Monitors diabetes and		
hypertension quality metrics or		
dashboards		
Conducts outreach to candidates		
for group visits		
Facilitates group visits for chronic		
disease management		
Documents chronic care		
interventions and outcomes in		
EHR		
(August 2025 Update) Conducts		
behavioral health screening (e.g.,		
depression, substance use)		
(August 2025 Update) Addresses		
positive behavioral health		
screenings (e.g., evaluation,		
diagnosis, referrals)		

Adults with Preventive Care Needs: Care Team Function (Table 2)

Function	Role that performs this now (title)	Identified Gap (check box)	Role that is best suited to perform this function?
Conducts outreach to patients			
due for cancer screenings			
Conducts pre-visit planning to			
identify cancer screening care			
gaps for scheduled patients			
Reviews health information			
exchange (HIE) data for recent			
cancer screening results			
Places routine cancer screening			
orders			
Provides education to patients			
about fecal immunochemical			
tests (FIT)			
Prepares FIT kits for distribution			
Conducts reminder calls to			
patients with outstanding FIT kits			
Monitors quality metrics or			
dashboards related to cancer			
screenings			
Conducts outreach and			
scheduling for wellness visits			
Conducts pre-visit preparation			
for wellness visits to identify			
preventive care gaps			
Reviews cancer screening results			
Communicates normal cancer			
screening results to patients			
Communicates abnormal cancer			
screening results and follow-up			
plan to patients			
Places follow-up orders or			
actions for abnormal cancer			
screening results (e.g.,			
colonoscopy, diagnostic imaging)			

Tracks completion of follow-up		
testing for abnormal cancer screening results		
Flags patients due for behavioral health or social determinants of		
health (SDOH) screening		
Conducts behavioral health		
screening (e.g., depression,		
substance use)		
Addresses positive behavioral		
health screenings (e.g.,		
evaluation, diagnosis, referrals)		
Conducts SDOH screening		
Addresses positive SDOH		
screenings (e.g., evaluation,		
diagnosis, referrals)		
Tracks follow-up completion for		
patients with positive behavioral		
health or SDOH screenings (e.g.,		
referrals completed)		
Documents preventive care		
activities and follow-up in the		
EHR	 	

Adults with Behavioral Health Needs (noting that screening is for all adults – not just adults with BH needs): Care Team Function (Table 2)

Function	Role That Performs This Now (Title)	Identified Gap (Check Box)	Role That is Best Suited to Perform This Function?
Reviews care gaps to			
determine if the patient is due			
for depression screening			
Administers standardized			
depression screening tool			
(e.g., PHQ-2, PHQ-9)			

Fall and a second at the second	
Follows up on positive	
depression screens with	
documented evaluation,	
diagnosis, referral, or	
treatment plan	
Manages nonspecialty mental	
health needs (e.g., mild to	
moderate depression or	
anxiety)	
Coordinates referral for	
specialty mental health	
services (e.g., severe mental	
illness, complex	
comorbidities)	
Maintains registry or tracking	
list of patients with behavioral	
health needs (e.g., depression,	
medications for addiction	
treatment [MAT])	
Coordinates with external	
mental health or substance	
use disorder services (e.g.,	
closes loop on referrals,	
manages Releases of	
Information [ROIs])	
Manages behavioral health	
medications, including	
initiation, titration, and follow-	
up	
Provides crisis response (e.g.,	
suicidality, hospitalization for	
safety concerns)	
Conducts outreach to patients	
on behavioral health registry or	
receiving medications for	
addiction treatment (MAT) to	
schedule follow-up visits or	
check adherence	

Manages refills and adherence		
for medications for opioid use		
disorder		

Step 2: Implementation Plan – Action Items to Optimize Care Team Model

To meet this milestone requirement, practices must implement at least two NEW actions (since the start of EPT) by November 2025.

Select a minimum of two action items to implement or highlight based on the gaps identified in Table 2. You may include actions implemented at any time during your participation in the EPT program. Provide more information about how your practice is addressing these gaps in Table 3.

Table 3

Gap Identified in Table 2	Action Taken or Planned	Team Role(s) Added or Changed	Training or Support Needed	Implementation Status (since start of EPT) □ Previously Implemented □ In Progress
e.g., No BH support for screening follow-up	Implement BH consult workflow and train MA to use PHQ-9 screen	Added LCSW consult & MA screening role	LCSW training; MA refresher on screening protocols	□ Previously Implemented □ In Progress
e.g., Manual tracking of care gap follow-up by RN	Develop automated EHR alert/tool to flag and track follow- up needs	Shifted tracking from RN to automated workflow	EHR tool development ; training for RN and IT support	□ Previously Implemented □ In Progress
Manual tracking of care gap follow-up	Develop automated EHR alert/tool to flag and track follow-	Shifted tracking from RN to automated	EHR tool development ; training for RN and IT	Implemented I

3. Evidence of Implementation

List at least two actions your practice has implemented to improve care team roles or functions for your selected PoF. For each, include the date the action was first implemented (i.e., when it was launched or began being used with patients), how many patients were impacted, how success was measured, and any observed outcomes. Small-scale pilots and PDSA cycles are acceptable. To meet this milestone requirement, practices must implement at least two NEW actions (since the start of EPT) by November 2025.

For each implemented action, please complete the table 4:

Table 4

Implemented Action	Date of Implementation	# of Patients Impacted	Metrics Used to Evaluate Whether the Action Resulted in Improvement	Results Observed

Notes:

- Results may be qualitative (e.g., staff or patient feedback) or quantitative (e.g., care gap closure rates).
- Small-scale pilots or PDSA cycles are acceptable as evidence.